

ITRI

Industrial Technology Research Institute

The fast deployment method of widespread low-cost and portable sensors for national ambient air monitoring


Speaker: Kun-Hsing Liu, PhD


Email: kunhsingliu@itri.org.tw




Conventional siting...

Web-based Decision Support System for Environmental Facility Siting (My Phd thesis, 2011)





The Environmental IoT Plan in Taiwan



- 10,200 sensors deployed in the end of the year 2020
- The sensors and the budget are deployed and allocated in 22 counties
- I was the project manager in 2017



The Challenges







Budget

Priority

Time



About Taiwan



22 counties

23.4 million people

Area of 36,000 km²

649/km²


PM_{2.5}, multiple sources

The Fast Deployment Method

- 1. Decide the objectives
- 2. Find and build up the spatial data
- 3. Eliminate unnecessary areas
- 4. Define the deployment density




1: Decide the objectives for monitoring






2: Find and build up the spatial data






3: Eliminate the unnecessary areas




4: Define the deployment density





Results



- Industrial type: 4,790
- Traffic type: 708
- Community type: 3,935
- Uptown type: 767

(Just the suggestion for TEPA, not final version)


- The allocation for counties
- The priority issue
- The process is time-saving



Conclusion

- A policy tool for budget planning
- For limited-time decision making
- Always eliminate the unnecessary areas first
- What's next?
 - Modify the allocation
 - Redefine the objectives
 - Conventional siting





Thank You!

Email: kunhsingliu@itri.org.tw

